




CIRCULAR BELLOW SPECIFICATION SHEET



- Smooth Shaft
 Screw Jack

- | | | |
|---|--------------------------------------|---------------------------------------|
| <input type="checkbox"/> Indoor Use | <input type="checkbox"/> Outdoor Use | <input type="checkbox"/> Humidity |
| <input type="checkbox"/> Dryness | <input type="checkbox"/> Heat | <input type="checkbox"/> Dust / Sand |
| <input type="checkbox"/> Welding Splashes | <input type="checkbox"/> Saltwater | <input type="checkbox"/> Rust Action |
| <input type="checkbox"/> Abrasive Action | <input type="checkbox"/> Magnetic | <input type="checkbox"/> Vacuum |
| <input type="checkbox"/> Chips Large | <input type="checkbox"/> Chips Small | <input type="checkbox"/> Coolant Type |
| <input type="checkbox"/> Oil Type | <input type="checkbox"/> | <input type="checkbox"/> |

Working Temperature (In °C)

Min Max Average

SPECIAL FEATURES AVAILABLE ON REQUEST

- Internal Support Rings For Horizontal Application
 External Tie Straps for Vertical Application
 Longitudinal Zipper; Straight or Spiral
 Binder on Convolution Joins, Inside & Out
 Double Stitch on Cuff Connections
 Flange Connections, One End / Both Ends
 Breather Plug

CUSTOMER DETAILS

DATE:

Company Name: _____

Contact Name: _____

Email: _____

Address: _____

Phone: _____

Fax: _____

Qty: _____

Cost Per Unit: \$ _____

ORDERING SPECIFICATIONS

Your Ref:

Maximum Allowable Diameter of Convolution

O.D. _____

Maximum Extended Length Excluding Cuffs

A1. _____

Minimum Closed Length Excluding Cuffs

A2. _____

Inside Diameter of Cuff

B1. _____

Cuff Length Required for Fastening

C1. _____

Inside Diameter of Cuff

B2. _____

Cuff Length Required for Fastening

C2. _____

Shaft Diameter

SD. _____

Do You Want Clamps Supplied (Tick)

Yes _____ No _____

Material Type _____

Special Requirements _____