




CIRCULAR BELLOW SPECIFICATION SHEET



- Smooth Shaft
 Screw Jack

ORDERING SPECIFICATIONS

Maximum Allowable Diameter of Convolutions
 Maximum Extended Length Excluding Cuffs
 Minimum Closed Length Excluding Cuffs
 Inside Diameter of Cuff
 Cuff Length Required for Fastening
 Inside Diameter of Cuff
 Cuff Length Required for Fastening
 Shaft Diameter

Your Ref:

O.D. _____
 A1. _____
 A2. _____
 B1. _____
 C1. _____
 B2. _____
 C2. _____
 SD. _____

Do You Want Clamps Supplied (Tick) Yes _____ No _____

Material Type _____

Special Requirements _____

- | | | |
|---|--------------------------------------|---------------------------------------|
| <input type="checkbox"/> Indoor Use | <input type="checkbox"/> Outdoor Use | <input type="checkbox"/> Humidity |
| <input type="checkbox"/> Dryness | <input type="checkbox"/> Heat | <input type="checkbox"/> Dust / Sand |
| <input type="checkbox"/> Welding Splashes | <input type="checkbox"/> Saltwater | <input type="checkbox"/> Rust Action |
| <input type="checkbox"/> Abrasive Action | <input type="checkbox"/> Magnetic | <input type="checkbox"/> Vacuum |
| <input type="checkbox"/> Chips Large | <input type="checkbox"/> Chips Small | <input type="checkbox"/> Coolant Type |
| <input type="checkbox"/> Oil Type | <input type="checkbox"/> | <input type="checkbox"/> |

Working Temperature (In °C)

Min Max Average

SPECIAL FEATURES AVAILABLE ON REQUEST

- Internal Support Rings For Horizontal Application
 External Tie Straps for Vertical Application
 Longitudinal Zipper; Straight or Spiral
 Binder on Convolution Joins, Inside & Out
 Double Stitch on Cuff Connections
 Flange Connections, One End / Both Ends
 Breather Plug

CUSTOMER DETAILS

DATE:

Company Name: _____

Contact Name: _____

Email: _____

Address: _____

Phone: _____ Fax: _____

Qty: _____ Cost Per Unit: \$ _____